

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : K. Suganuma et al. **Certificate of Correction Branch**
Patent No. : 7,368,881 Issued : May 6, 2008
Appl. No. : 10/596,794 Filed : June 23, 2006
For : DISCHARGE LAMP LIGHTING APPARATUS AND
LAMP SYSTEM USING THE LIGHTING APPARATUS

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
U.S. Patent and Trademark Office
Customer Service Window, Mail Stop **Certificate of Correction Branch**
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Sir :

Please find attached a proposed Certificate of Correction.

Please correct the following errors appearing in the printed patent, which are apparently the fault of the U.S. Patent and Trademark Office, as per the attached Certificate of Correction. Since the errors are the fault of the U.S. Patent and Trademark Office, no fee is due.

At column 25, line 19 (claim 10, line 2) of the printed patent, "selling" should be -- setting --. This appeared correctly on page 7 (claim 15, line 2) of the Preliminary Amendment filed on June 23, 2006; and

At column 25, line 23 (claim 11, line 2) of the printed patent, "selling" should be -- setting --. This appeared correctly on page 7 (claim 13, line 3) of the Preliminary Amendment filed on June 23, 2006.


Therefore, it is respectfully requested that a Certificate of Correction issue in the above-identified patent as follows:

At column 25, line 19 (claim 10, line 2) of the printed patent, change "selling" to --
setting --.

At column 25, line 23 (claim 11, line 2) of the printed patent, change "selling" to --
setting --.

Should there be any questions, the Examiner is invited to contact the undersigned at the
below-listed number.

Respectfully Submitted,
K. SUGANUMA et al.



Bruce H. Bernstein
Reg. No. 29,027

August 12, 2008
GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191
(703) 716-1191

Steven Wegman
Reg. No. 31,438

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,368,881

APPLICATION NO.: 10/596,794

ISSUE DATE : May 6, 2008

INVENTOR(S): Suganuma et al.

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

At column 25, line 19 (claim 19, line 2) of the printed patent, "selling" should be -- setting --.

At column 25, line 23 (claim 11, line 2) of the printed patent, "selling" should be -- setting --.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

GREENBLUM & BERNSTEIN, P.L.C.

1950 Roland Clarke Place
Reston, VA 20191-1411

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.